

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S7	2	((MASAYUKI) near2 (TSUMURA).INV.	US_PGPUB; USPAT	ADJ	ON	2009/06/29 20:14
S8	229	(display or "CSD" or (on \$1screen near3 display)) and (phase near3 (noise or error or jitter)) and (carrier\$1to\$1noise ratio or CNR or C/N)	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 20:27
S9	25917759	@ad<= "20021126"	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 20:28
S10	129	S8 and S9	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 20:28
S11	376436	sony	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 20:48
S12	1393	(display or "CSD" or (on \$1screen near3 display)) same (phase near3 (noise or error or jitter))	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 20:48
S13	21878	(carrier\$1to\$1noise ratio or CNR or C/N)	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 20:48
S14	146	(carrier\$1to\$1noise ratio or CNR or C/N) and (numeric near3 (value or number))	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 20:49
S15	17	S12 and S13	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 20:49

S17	48	S11 and S12	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 20:54
S18	36	S9 and S17	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 20:54
S19	14	display same ((phase near3 (noise or error or jitter)) and (carrier\$1to\$1noise ratio or CNR or C/N))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 21:10
S20	205	(digital near3 broadcast\$4) and ((phase near3 (noise or error or jitter)) and (carrier \$1to\$1noise ratio or CNR or C/N))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 21:12
S21	111	S9 and S20	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 21:12
S22	10	display same ((phase near3 (noise or error or jitter)) and (carrier\$1to\$1noise ratio or CNR or C/N)) and amplitude	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 21:13
S23	99	(digital near3 broadcast\$4) and ((phase near3 (noise or error or jitter)) and (carrier \$1to\$1noise ratio or CNR or C/N)) and display\$4	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 21:14
S24	52	S9 and S23	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 21:14
S26	42	raiza	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 22:38

S27	6	(spectrum near3 analyz\$4) and display\$4 same ((phase near3 (noise or error or jitter)) and (carrier\$1to \$1noise ratio or CNR or G/N))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 22:39
S28	18	display\$4 same ((phase near3 (noise or error or jitter)) and (carrier\$1to \$1noise ratio or CNR or G/N))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 22:40
S29	966	display\$4 same (phase near3 (noise or error or jitter)) and amplitude	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 22:42
S30	9	display\$4 same (phase near3 (noise or error or jitter)) and amplitude and (numeric near3 value)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 22:43
S31	117	display\$4 and (in\$1phase and quadrature) and amplitude and (carrier\$1to \$1noise ratio or CNR or G/N)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 22:56
S32	55	S9 and S31	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 22:57
S34	12701	tektronix	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:09
S35	0	(alarm near3 indicat\$4) and user\$1 and (in\$1phase and quadrature) and amplitude and (carrier\$1to\$1noise ratio or CNR or G/N)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:10
S36	1	alarm and user\$1 and (in \$1phase and quadrature) and amplitude and (carrier \$1to\$1noise ratio or CNR or G/N)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:11

S39	0	(alarm near3 (indicat\$4or message)) and user\$1 and (in\$1phase and quadrature) and amplitude and (carrier \$1to\$1noise ratio or CNR or C/N)	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:14
S40	191	user\$1 and (in\$1phase and quadrature) and amplitude and (carrier\$1to\$1noise ratio or CNR or C/N)	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:16
S41	1	S34 and S40	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:16
S42	0	(alarm near3 (indicat\$4or message)) and (in\$1phase and quadrature) and amplitude and (carrier\$1to \$1noise ratio or CNR or C/N)	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:17
S43	0	(alarm with (indicat\$4or message)) and (in\$1phase and quadrature) and amplitude and (carrier\$1to \$1noise ratio or CNR or C/N)	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:17
S44	0	(alarm with (indicat\$4or messag\$4)) and (in\$1phase and quadrature) and amplitude and (carrier\$1to \$1noise ratio or CNR or C/N)	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:17
S45	8	(alarm or warning with (indicat\$4or messag\$4)) and (in\$1phase and quadrature) and amplitude and (carrier \$1to\$1noise ratio or CNR or C/N)	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:18
S46	191	user\$2 and (in\$1phase and quadrature) and amplitude and (carrier\$1to\$1noise ratio or CNR or C/N)	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:19
S47	99	S9 and S46	US_PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:19

S48	0	(alarm\$4 with (indicat\$4or messag\$4)) and (in\$1phase and quadrature) and amplitude and (carrier\$1to\$1noise ratio or CNR or C/N)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:27
S49	8	(alarm\$4 or warning with (indicat\$4or messag\$4)) and (in\$1phase and quadrature) and amplitude and (carrier \$1to\$1noise ratio or CNR or C/N)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:27
S50	57	user\$2 and (in\$1phase and quadrature) and amplitude and (carrier\$1to\$1noise ratio or CNR or C/N) and message	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:28
S51	41	S9 and S60	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:28
S52	17600	digital broadcasting	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:30
S53	58	user\$2 and (in\$1phase and quadrature) and amplitude and (carrier\$1to\$1noise ratio or CNR or C/N) and (message or warning or alarm)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:31
S54	3	S52 and S53	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:31
S55	76	(in\$1phase and quadrature) and amplitude and (carrier \$1to\$1noise ratio or CNR or C/N) and (message or warning or alarm)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:32
S56	3	S52 and S55	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:32

S67	0	S34 and S55	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:32
S58	0	(in\$1phase and quadrature) and amplitude and (message or warning or alarm)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:33
S59	3662	(in\$1phase and quadrature) and amplitude and (message or warning or alarm)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:33
S60	2505	(in\$1phase and quadrature) and amplitude and (message or warning or alarm) and user\$4	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:33
S61	75	S52 and S60	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:33
S62	37	S61 and S9	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:33
S63	72	(in\$1phase and quadrature) and (carrier\$1to\$1noise ratio or CNR or C/N) and (message or warning or alarm) and user\$4	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:36
S64	51	S63 and S9	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:36
S65	12	(in\$1phase and quadrature) and (carrier\$1to\$1noise ratio or CNR or C/N) and (message or warning or alarm) and (predetermin\$4 near3 value)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:39

S66	180	alarm and user\$1 and (carrier \$1to\$1noise ratio or CNR or C/N)	US-PGPUB; USPAT; USOCP; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/29 23:40
-----	-----	---	---	-----	----	---------------------

6/30/2009 10:59:07 AM

C:\Documents and Settings\rguarino\My Documents\EAST\Workspaces\10533630-final.wsp